

GELESA

L & S

Lista de precios

ENERO 2011

Pratika System

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
			SIN SUJECIONES, TUBO Y CABLE	
	UB3000	15000070100	Freedom V07 8W L=307mm sin nada	27,06
	UB3020	15000080100	Freedom V07 13W L=536mm sin nada	27,88
	UB3040	15000090100	Freedom V07 14W L=568mm sin nada	28,12
	UB3060	15000100100	Freedom V07 21W L=686mm sin nada	32,53
	UB3080	15000110100	Freedom V07 28W L=1168mm sin nada	44,47
	UB3100	15000120100	Freedom V07 35W L=1468mm sin nada	47,53
			SIN SUJECIONES, TUBO Y CABLE	
	UB3300	15000370100	FREEDOM V07-R 8W 230-240V L=307mm	30,74
	UB3310	15000380100	FREEDOM V07-R 13W 230-240V L=536mm	31,76
	UB3320	15000390100	FREEDOM V07-R 14W 230-240V L=568mm	32,06
	UB3330	15000400100	FREEDOM V07-R 21W 230-240V L=868mm	36,59
	UB3340	15000410100	FREEDOM V07-R 28W 230-240V L=1168mm	49,56
	UB3350	15000420100	FREEDOM V07-R 35W 230-240V L=1468mm	54,71
	UB3170	15100210100	PROLUNCA PRATIKA TIPO "B" L=0,15mt	3,68
16	UB3180	15100040100	PROLUNGA PRATIKA TIPO " B " L=0,3mt	3,82
		15100040300	PROLUNGA PRATIKA TIPO " B " L=0,3mt	3,82
	UB3200	15100050100	PROLUNGA PRATIKA TIPO "B " L=1mt	4,41
		15100050300	PROLUNGA PRATIKA TIPO " B " L=1mt	4,41
	UB3220	15100060100	PROLUNGA PRATIKA TIPO " B " L=2mt	5,00
		15100060300	PROLUNGA PRATIKA TIPO " B " L=2mt	5,00
17	UB3160	15100010100	cable de alimentacion de 2 metros con enchufe (8592501N actual)	3,97
	UC0220	15100180100	CONNETTORE PONTE	1,85
	UB3140	81000450000	supportes laterales y central mas conexiòn (6620701 actual)	2,47
	UA0650	6620600/TL	Soportes laterales sin conexiòn rapida (6620600/TL)	1,21
10	UA5000	5133800.01	SCHERMO E TESTATE FREEDOM V07 8W L=265mm	3,00
	UA5030	5133900.01	SCHERMO E TESTATE FREEDOM V07 13W L=493mm	4,53
	UA5040	5134200.01	SCHERMO E TESTATE FREEDOM V07 14W L=525mm	4,76
	UA5060	5134000.01	SCHERMO E TESTATE FREEDOM V07 21W L=826mm	6,76
	UA5090	5134100.01	SCHERMO E TESTATE FREEDOM V07 28W L=1126mm	9,00
	UA5100	5134300.01	SCHERMO E TESTATE FREEDOM V07 35W L=1426mm	10,74
	UA5001	12403850000	SCHERMO FREEDOM V07-R 8W L=288mm	2,56
	UA5031	12403860000	SCHERMO FREEDOM V07-R 13W L=517mm	3,53
	UA5041	12403870000	SCHERMO FREEDOM V07-R 14W L=549mm	3,53
	UA5061	12403880000	SCHERMO FREEDOM V07-R 21W L=849mm	4,56
	UA5091	12403890000	SCHERMO FREEDOM V07-R 28W L=1149mm	5,59
	UA5101	12403900000	SCHERMO FREEDOM V07-R 35W L=1449mm	6,76
14	UC0010	15100160100	SCATOLA DI DERIVAZIONE PRATIKA A 4 USCITE	12,79
	UC0020	15100170100	SCATOLA DI DERIVAZIONE PRATIKA A 6 USCITE	16,47
	UC0030	15100150100	T-SPLIT	4,71
		15100500100	T-SPLIT SWITCH	9,85
	UC0040	15100070100	"PROLUNGA PRATIKA TIPO ""A"" L=0,3mt"	4,59

Pratika System

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
14				
	UC0050	15100070300	"PROLUNGA PRATIKA TIPO ""A"" L=0,3mt"	4,59
	UC0060	15100080100	"PROLUNGA PRATIKA TIPO ""A"" L=1mt"	5,24
	UC0070	15100080300	"PROLUNGA PRATIKA TIPO ""A"" L=1mt"	5,24
	UC0080	15100090100	"PROLUNGA PRATIKA TIPO ""A"" L=2mt"	5,76
	UC0090	15100090300	"PROLUNGA PRATIKA TIPO ""A"" L=2mt"	5,76
	UB3180	15100040100	"PROLUNGA PRATIKA TIPO ""B"" L=0,3mt"	3,82
		15100040300	"PROLUNGA PRATIKA TIPO ""B"" L=0,3mt"	3,82
	UB3200	15100050100	"PROLUNGA PRATIKA TIPO ""B"" L=1mt"	4,41
	UB3201	15100050300	"PROLUNGA PRATIKA TIPO ""B"" L=1mt"	4,41
	UB3220	15100060100	"PROLUNGA PRATIKA TIPO ""B"" L=2mt"	5,00
	UB3221	15100060300	"PROLUNGA PRATIKA TIPO ""B"" L=2mt"	5,00
15				
	UC0100	15100100100	"PROLUNGA PRATIKA TIPO ""G"" L=1mt "	7,65
	UC0110	15100100300	"PROLUNGA PRATIKA TIPO ""G"" L=1mt "	7,65
	UC0120	15100110100	"PROLUNGA PRATIKA TIPO ""G"" L=2mt "	8,24
	UC0130	15100110300	"PROLUNGA PRATIKA TIPO ""G"" L=2mt "	8,24
		15100010000	"PROLUNGA PRATIKA TIPO ""E"" L=2mt"	11,47
	UB3160	15100010100	"PROLUNGA PRATIKA TIPO ""E"" L=2mt"	3,97
		15100010300	"PROLUNGA PRATIKA TIPO ""E"" L=2mt"	3,97
		15100020000	"PROLUNGA PRATIKA TIPO ""E"" L=3mt"	10,00
	UC0140	15100020100	"PROLUNGA PRATIKA TIPO ""E"" L=3mt"	5,47
	UC0150	15100020300	"PROLUNGA PRATIKA TIPO ""E"" L=3mt"	5,47
		15100030000	"PROLUNGA PRATIKA TIPO ""E"" L=4mt"	12,65
	UC0160	15100030100	"PROLUNGA PRATIKA TIPO ""E"" L=4mt"	6,59
	UC0170	15100030300	"PROLUNGA PRATIKA TIPO ""E"" L=4mt"	6,59
	UC0180	15100120100	"PROLUNGA PRATIKA TIPO ""D"" L1=2mt L2=2mt"	12,94
	UC0190	15100120300	"PROLUNGA PRATIKA TIPO ""D"" L1=2mt L2=2mt"	12,94
	UC0200	15100130100	"PROLUNGA PRATIKA TIPO ""D"" L1=4mt L2=2mt"	16,47
	UC0210	15100130300	"PROLUNGA PRATIKA TIPO ""D"" L1=4mt L2=2mt"	16,47
	UC0220	15100180100	CONNETTORE PONTE	1,85
16				
	UC0230	15100190100	INTERRUTTORE BIPOLARE	9,29
	UC0240	5100701	TAPPO COPRIFORO PRATIKA	0,29
	UC0250	5100703	TAPPO COPRIFORO PRATIKA	0,29
	UC0260	15100530100	PROLUNGA CON FINECORSO ON/OFF L=1MT (connection box PKV07)	12,94
		15100530300	PROLUNGA CON FINECORSO ON/OFF L=1MT (connection box PKV07)	12,94
	UC0262	15101020100	PROLUNGA CON FINECORSO ON/OFF L=1MT (per T-SPLIT switch)	12,94
		15101020300	PROLUNGA CON FINECORSO ON/OFF L=1MT (per T-SPLIT switch)	12,94
	UC0270	15100550100	PROLUNGA CON INTERRUTTORE UNIPOLARE ON/OFF L=1MT (connection box PKV07)	9,71
		15100550300	PROLUNGA CON INTERRUTTORE UNIPOLARE ON/OFF L=1MT (connection box PKV07)	9,71
	UC0272	15101010100	PROLUNGA CON INTERRUTTORE UNIPOLARE ON/OFF L=1MT (per T-SPLIT switch)	9,71
		15101010300	PROLUNGA CON INTERRUTTORE UNIPOLARE ON/OFF L=1MT (per T-SPLIT switch)	9,71
17				
	UC0280	15400011200	PK BAR CON FILA CONTINUA L=1,2MT	74,12
	UC0290	15400021200	PK BAR SENZA FILA CONTINUA L=1,2MT	70,59

Pratika LED

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
21				
	UA6600	12800270001	STRIP LED BIANCA 0,7W 12VDC 5000K L=250mm CON 10 LEDs	12,74
	UA6601	12800280001	STRIP LED BLU 0,7W 12VDC L=250mm CON 10 LEDs	12,65
	UA6602	12800290001	STRIP LED ROSSO 0,7W 12VDC L=250mm CON 10 LEDs	12,65
	UA6603	12800300001	STRIP LED VERDE 0,7W 12VDC L=250mm CON 10 LEDs	15,88
	UA6604	12800310001	STRIP LED GIALLO 0,7W 12VDC L=250mm CON 10 LEDs	12,65
	UA6610	12800320100	CONNECTION CORD type A FOR STRIP LED-STRIP LED HE L=1mt	1,71
	UA6620	12800330100	CONNECTION CORD type A FOR STRIP LED-STRIP LED HE L=2mt	2,47
	UA6621	12801770100	CONNECTION CORD type A FOR STRIP LED-STRIP LED HE L=4mt	4,47
	UA6660	12800240100	SOFT LINK type B L=30mm	0,97
	UA6670	12800250100	SOFT LINK type B L=300mm	1,21
	UA6680	12800260100	SOFT LINK type B L=1500mm	1,94
	UA6682	12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
	UA6684	12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
		12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
	UA6730	12801140000	MINI STRIP LED BIANCO 0,2W 12VDC 5000K L=75mm CON 3 LEDs	4,71
	UA6780	12801170000	MINI STRIP LED BLU 0,2W 12VDC L=75mm CON 3 LEDs	4,00
	UA6830	12801160000	MINI STRIP LED ROSSO 0,2W 12VDC L=75mm CON 3 LEDs	3,82
	UA6880	12801180000	MINI STRIP LED VERDE 0,2W 12VDC L=75mm CON 3 LEDs	5,88
	UA6930	12801150000	MINI STRIP LED GIALLO 0,2W 12VDC L=75mm CON 3 LEDs	3,82
22				
	UA6690	12801090000	"CONNETTORE ""L"" BIANCO 0,2W 12VDC 5000K CON 2 LEDs"	4,71
	UA6740	12801120000	"CONNETTORE ""L"" BLU 0,2W 12VDC CON 2 LEDs"	4,56
	UA6790	12801110000	"CONNETTORE ""L"" ROSSO 0,2W 12VDC CON 2 LEDs"	4,00
	UA6840	12801130000	"CONNETTORE ""L"" VERDE 0,2W 12VDC CON 2 LEDs"	4,71
	UA6890	12801100000	"CONNETTORE ""L"" GIALLO 0,2W 12VDC CON 2 LEDs"	4,00
	UA6700	12800990000	"CONNETTORE ""T"" BIANCO 0,2W 12VDC 5000K CON 3 LEDs 2 INGRESSI"	6,18
	UA6750	12801020000	"CONNETTORE ""T"" BLU 0,2W 12VDC CON 3 LEDs 2 INGRESSI"	6,18
	UA6800	12801010000	"CONNETTORE ""T"" ROSSO 0,2W 12VDC CON 3 LEDs 2 INGRESSI"	5,29
	UA6850	12801030000	"CONNETTORE ""T"" VERDE 0,2W 12VDC CON 3 LEDs 2 INGRESSI"	6,91
	UA6900	12801000000	"CONNETTORE ""T"" GIALLO 0,2W 12VDC CON 3 LEDs 2 INGRESSI"	5,29
	UA6710	12801040000	"CONNETTORE ""T"" BIANCO 0,2W 12VDC 5000K CON 3 LEDs 2 USCITE"	4,85
	UA6760	12801070000	"CONNETTORE ""T"" BLU 0,2W 12VDC CON 3 LEDs 2 USCITE"	4,85
	UA6810	12801060000	"CONNETTORE ""T"" ROSSO 0,2W 12VDC CON 3 LEDs 2 USCITE"	4,71
	UA6860	12801080000	"CONNETTORE ""T"" VERDE 0,2W 12VDC CON 3 LEDs 2 USCITE"	5,44
	UA6910	12801050000	"CONNETTORE ""T"" GIALLO 0,2W 12VDC CON 3 LEDs 2 USCITE"	4,71
	UA6720	12800940000	"CONNETTORE ""X"" BIANCO 0,2W 12VDC 5000K CON 3 LEDs"	6,91
	UA6770	12800970000	"CONNETTORE ""X"" BLU 0,2W 12VDC CON 3 LEDs"	6,47
	UA6820	12800960000	"CONNETTORE ""X"" ROSSO 0,2W 12VDC CON 3 LEDs"	5,88
	UA6870	12800980000	"CONNETTORE ""X"" VERDE 0,2W 12VDC CON 3 LEDs"	7,50
	UA6920	12800950000	"CONNETTORE ""X"" GIALLO 0,2W 12VDC CON 3 LEDs"	5,88

Pratika LED

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
23				
	UA8310	1280200000	STRIP LED HE 0,8W 12VDC 5000K L=125mm CON 12 LEDs	10,95
	UA8320	1280201000	STRIP LED HE 1,7W 12VDC 5000K L=250mm CON 24 LEDs	20,48
	UA8315	1280271000	STRIP LED HE 0,8W 12VDC 3200K L=125mm CON 12 LEDs	12,19
	UA8325	1280272000	STRIP LED HE 1,7W 12VDC 3200K L=250mm CON 24 LEDs	22,18
	UA6610	12800320100	CONNECTION CORD type A FOR STRIP LED-STRIP LED HE L=1mt	1,71
	UA6620	12800330100	CONNECTION CORD type A FOR STRIP LED-STRIP LED HE L=2mt	2,47
	UA6621	12801770100	CONNECTION CORD type A FOR STRIP LED-STRIP LED HE L=4mt	4,47
	UA6660	12800240100	SOFT LINK type B L=30mm	0,97
	UA6670	12800250100	SOFT LINK type B L=300mm	1,21
	UA6680	12800260100	SOFT LINK type B L=1500mm	1,94
	UA6682	12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
	UA6684	12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
		12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
	UB0140	15700341200	PROFILO MANILA L=1m	16,47
	UB0150	15700111200	PROFILO MANILA L=2m	21,76
	UB0180	12403961000	KIT N.2 TESTATE MANILA	3,82
	UB0160	12200540100	SCHERMO L=1mt MANILA	5,65
	UB0170	12200550100	SCHERMO L=2mt MANILA	8,82
24				
	UA7480	12802240901	SUNNY HE 1,3W 12Vdc 5000K 18 LEDs	18,82
	UA7490	12802246501	SUNNY HE 1,3W 12Vdc 5000K 18 LEDs	18,82
	UA7481	12802249101	SUNNY HE 1,3W 12Vdc 5000K 18 LEDs	18,82
	UA7450	12802230901	SUNNY HE 1,3W 12Vdc 3200K 18 LEDs	19,68
	UA7460	12802236501	SUNNY HE 1,3W 12Vdc 3200K 18 LEDs	19,68
	UA7470	12802239101	SUNNY HE 1,3W 12Vdc 3200K 18 LEDs	19,68
		12802260901	SUNNY SQUARE HE 1,3W 12Vdc 5000K 16 LEDs	17,79
	UA7491	12802266501	SUNNY SQUARE HE 1,3W 12Vdc 5000K 16 LEDs	17,79
	UA7493	12802269101	SUNNY SQUARE HE 1,3W 12Vdc 5000K 16 LEDs	17,79
	UA7451	12802250901	SUNNY SQUARE HE 1,3W 12Vdc 3200K 16 LEDs	18,65
	UA7461	12802256501	SUNNY SQUARE HE 1,3W 12Vdc 3200K 16 LEDs	18,65
	UA7471	12802259101	SUNNY SQUARE HE 1,3W 12Vdc 3200K 16 LEDs	18,65
	UA6682	12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
	UA6684	12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6685	12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88

Pratika LED

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
25				
	UB7600	12802470101	SUNNY HE.IN TT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7620	12802470901	SUNNY HE.IN TT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7630	12802476501	SUNNY HE.IN TT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7640	12802479101	SUNNY HE.IN TT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7540	12802460101	SUNNY HE.IN TT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7560	12802460901	SUNNY HE.IN TT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7570	12802466501	SUNNY HE.IN TT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7580	12802469101	SUNNY HE.IN TT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7700	12802490101	SUNNY HE.IN QT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7720	12802490901	SUNNY HE.IN QT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7730	12802496501	SUNNY HE.IN QT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7740	12802499101	SUNNY HE.IN QT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7650	12802480101	SUNNY HE.IN QT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7670	12802480901	SUNNY HE.IN QT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7680	12802486501	SUNNY HE.IN QT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7690	12802489101	SUNNY HE.IN QT 1,3W 12Vdc 3200K 18 LEDs	22,06
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6685	12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
26				
	UB7780	12802510101	SUNNY HE.IN QQ 1,3W 12Vdc 5000K 18 LEDs	21,18
		12802510901	SUNNY HE.IN QQ 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7790	12802516501	SUNNY HE.IN QQ 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7800	12802519101	SUNNY HE.IN QQ 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7750	12802500101	SUNNY HE.IN QQ 1,3W 12Vdc 3200K 18 LEDs	22,06
		12802500901	SUNNY HE.IN QQ 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7760	12802506501	SUNNY HE.IN QQ 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7770	12802509101	SUNNY HE.IN QQ 1,3W 12Vdc 3200K 18 LEDs	22,06
		16700016501	SIRIO 1,7W 12Vdc 5000K 24 LEDs	27,94
		16700026501	SIRIO 1,7W 12Vdc 3200K 24 LEDs	29,71
		16700056500	SPACER SIRIO	2,12
	UA6682	12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
	UA6684	12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6685	12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	41,47
27				
	UB7100	18700010900	NOVA.IN TT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB7110	18700016500	NOVA.IN TT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB7120	18700019100	NOVA.IN TT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB7130	18700020900	NOVA.IN TT 2,7W 12Vdc 3200K 39 LEDs	45,31

Pratika LED

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
	UB7140	18700026500	NOVA.IN TT 2,7W 12Vdc 3200K 39 LEDs	45,31
	UB7150	18700029100	NOVA.IN TT 2,7W 12Vdc 3200K 39 LEDs	45,31
	UB7160	18700030900	NOVA.IN QT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB7170	18700036500	NOVA.IN QT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB7180	18700039100	NOVA.IN QT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB7190	18700040900	NOVA.IN QT 2,7W 12Vdc 3200K 39 LEDs	45,31
	UB7200	18700046500	NOVA.IN QT 2,7W 12Vdc 3200K 39 LEDs	45,31
	UB7210	18700049100	NOVA.IN QT 2,7W 12Vdc 3200K 39 LEDs	45,31
	UA6682	12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
	UA6684	12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6685	12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
28				
	UB8440	12802790101	STRIP LED FLEX 0,8W 24Vdc 5000K 12LEDs L=335mm	13,68
		12804400101	STRIP LED FLEX 0,8W 24Vdc 3200K 12LEDs L=335mm	14,27
	UB8450	12802791601	STRIP LED FLEX 0,8W 24Vdc BLU 12LEDs L=335mm	13,24
	UB8420	12802800100	STRIP LED FLEX 4,9W 24Vdc 5000K 72LEDs L= 2mt	82,06
	UB8421	12804410100	STRIP LED FLEX 4,9W 24Vdc 3200K 72LEDs L= 2mt	86,47
	UB8430	12802801600	STRIP LED FLEX 4,9W 24Vdc BLU 72LEDs L= 2mt	79,41
	UB8480	12803020100	CONNECTION CORD type A STRIP LED FLEX 24Vdc L=1mt	2,35
	UB8490	12803030100	CONNECTION CORD type A STRIP LED FLEX 24Vdc L=2mt	2,94
	UB8491	12803440100	CONNECTION CORD type A STRIP LED FLEX 24Vdc L=4mt	3,91
	UB8500	12803040100	SOFT LINK type B STRIP LED FLEX 24Vdc L=40mm	1,06
	UB8510	12803050100	SOFT LINK type B STRIP LED FLEX 24Vdc L=100mm	1,18
	UB8520	12803060100	SOFT LINK type B STRIP LED FLEX 24Vdc L=500mm	1,41
	UA6682	12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
	UA6684	12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6685	12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UB8170	12501280101	AC/DC POWER SUPPLY 24Vdc 15W 12way european plug	25,74
	UB8160	12502910101	AC/DC POWER SUPPLY 24Vdc 30W 12way european plug	40,88
29				
	UB7820	12802530001	MATRIX 2W 24Vdc 5000K 25 LEDs	24,00
	UB7810	12802520001	MATRIX 2W 24Vdc 3200K 25 LEDs	25,65
	UB7220	18200010100	MATRIX.IN 2W 24Vdc 5000K 25 LEDs	24,97
	UB7230	18200016500	MATRIX.IN 2W 24Vdc 5000K 25 LEDs	24,97
	UB7240	18200019100	MATRIX.IN 2W 24Vdc 5000K 25 LEDs	24,97
	UB7250	18200020100	MATRIX.IN 2W 24Vdc 3200K 25 LEDs	26,59
	UB7260	18200026500	MATRIX.IN 2W 24Vdc 3200K 25 LEDs	26,59
	UB7270	18200029100	MATRIX.IN 2W 24Vdc 3200K 25 LEDs	26,59
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82

Kitchen

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
36				
	UA3060	14200011201	INFINITY 8W 230-240V L=450mm H=350mm CON PRESA SCHUKO ED INT.	304,97
	UA3080	14200021201	INFINITY 13W 230-240V L=600mm H=350mm CON PRESA SCHUKO ED INT.	329,65
	UA3100	14200031201	INFINITY 21W 230-240V L=900mm H=350mm CON PRESA SCHUKO ED INT.	396,82
	UA3140	14200041201	INFINITY 28W 230-240V L=1200mm H=350mm CON PRESA SCHUKO ED INT.	459,26
	UA3170	14200051201	INFINITY 35W 230-240V L=1500mm H=350mm CON PRESA SCHUKO ED INT.	521,47
	UA3190	12402540000	GUARNIZIONE L=2,5mt INFINITY/ETERNITY	18,09
37				
	UA1200	14200061202	ETERNITY 8W 230-240V L=450mm H=283mm IP23	163,68
	UA1230	14200071202	ETERNITY 13W 230-240V L=600mm H=283mm IP23	178,97
	UA1260	14200081202	ETERNITY 21W 230-240V L=900mm H=283mm IP23	206,29
	UA1290	14200091202	ETERNITY 28W 230-240V L=1200mm H=283mm IP23	247,59
	UA1320	14200101202	ETERNITY 35W 230-240V L=1500mm H=283mm IP23	292,24
	UA3190	12402540000	GUARNIZIONE L=2,5mt INFINITY/ETERNITY	18,09
	UA1340	14200401200	MENSOLA ETERNITY 8W 230-240V L=450mm H=283mm	34,12
	UA1350	14200411200	MENSOLA ETERNITY 13W 230-240V L=600mm H=283mm	37,65
	UA1360	14200421200	MENSOLA ETERNITY 21W 230-240V L=900mm H=283mm	55,59
	UA1370	14200431200	MENSOLA ETERNITY 28W 230-240V L=1200mm H=283mm	64,71
	UA1380	14200441200	MENSOLA ETERNITY 35W 230-240V L=1500mm H=283mm	77,65
38				
	UA2900	13400101204	BOSTON-R SOTTOPENSILE 13W 230-240V L=600mm P=330mm CON INT.	122,06
	UA2910	13400111204	BOSTON-R SOTTOPENSILE 13W 230-240V L=900mm P=330mm CON INT.	139,71
	UA2920	13400531204	BOSTON-R SOTTOPENSILE 13W 230-240V L=600mm P=330mm CON INT. E MANIGLIA	125,00
	UA2930	13400541204	BOSTON-R SOTTOPENSILE 13W 230-240V L=900mm P=330mm CON INT. E MANIGLIA	142,65
39				
	UA2940	16200011203	DAYTONA PLUS TOUCH vers. MANIGLIA 3,6W 12VDC 18LED 413x282mm	118,94
	UA2950	16200021203	DAYTONA PLUS TOUCH vers. MANIGLIA 5,4W 12VDC 27LED 563x282mm	156,76
	UA2960	16200031203	DAYTONA PLUS TOUCH vers. MANIGLIA 9W 12VDC 45LED 863x282mm	202,32
	UA2970	16200041203	DAYTONA PLUS TOUCH vers. MANIGLIA 13,2W 12VDC 66LED 1163x282mm	257,35
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
40				
	UB7930	15700011201	MANILA 2,5W 12Vdc 36 LEDs L=500mm	50,00
	UB7940	15700021201	MANILA 4,1W 12Vdc 60 LEDs L=760mm	72,35
	UB7950	15700031201	MANILA 5,8W 12Vdc 84 LEDs L=1000mm	95,29
	UB7960	15700041202	MANILA TOUCH 2,5W 12Vdc 36 LEDs L=500mm	67,06
	UB7970	15700051202	MANILA TOUCH 4,1W 12Vdc 60 LEDs L=760mm	89,41
	UB7980	15700061202	MANILA TOUCH 5,8W 12Vdc 84 LEDs L=1000mm	113,53
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88

Kitchen

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
	UB7990	15900011201	BALI 1,7W 12Vdc 24 LEDs L=450mm	42,94
	UB8000	15900021201	BALI 3,3W 12Vdc 48 LEDs L=600mm	60,00
	UB8010	15900031201	BALI 5W 12Vdc 72 LEDs L=900mm	87,06
	UB8020	15900041201	BALI 6,6W 12Vdc 96 LEDs L=1200mm	109,41
	UB8030	15900051202	BALI TOUCH 1,7 W 12Vdc 24 LEDs L=450mm	60,00
	UB8040	15900061202	BALI TOUCH 2,5W 12Vdc 36 LEDs L=600mm	75,29
	UB8050	15900071202	BALI TOUCH 5W 12Vdc 72 LEDs L=900mm	104,12
	UB8060	15900081202	BALI TOUCH 6,6W 12Vdc 96 LEDs L=1200mm	126,47
	UA6682	12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
	UA6684	12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
41				
	UB8070	15800011201	VENICE 2,5W 12Vdc 36 LEDs L=500mm	55,29
	UB8080	15800021201	VENICE 4,1W 12Vdc 60 LEDs L=760mm	80,88
	UB8090	15800031201	VENICE 5,8W 12Vdc 84 LEDs L=1000mm	101,47
	UB8100	15800881200	VENICE SENSOR DX 2,5W 12Vdc 36 LEDs L=500mm	88,82
	UB8110	15800891200	VENICE SENSOR DX 4,1W 12Vdc 60 LEDs L=760mm	115,00
	UB8120	15800901200	VENICE SENSOR DX 5,8W 12Vdc 84 LEDs L=1000mm	135,59
	UB8130	15800951200	VENICE SENSOR SX 2,5W 12Vdc 36 LEDs L=500mm	88,82
	UB8140	15800961200	VENICE SENSOR SX 4,1W 12Vdc 60 LEDs L=760mm	115,00
	UB8150	15800971200	VENICE SENSOR SX 5,8W 12Vdc 84 LEDs L=1000mm	135,59
	UA6682	12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
	UA6684	12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
	UB2900	17700011201	PERTH 1,8W 12VDC 9 LEDs 5000K L=400mm	96,56
	UB29100	17700161201	PERTH 1,8W 12Vdc 9 LEDs 5000K L=413mm	96,56
	UB2920	17700021201	PERTH 3,6W 12VDC 18 LEDs 5000K L=550mm	117,18
	UB2930	17700171201	PERTH 3,6W 12Vdc 18 LEDs 5000K L=563mm	117,18
	UB2940	17700031201	PERTH 5,4W 12VDC 27 LEDs 5000K L=850mm	139,06
	UB2950	17700181201	PERTH 5,4W 12Vdc 27 LEDs 5000K L=863	139,06
	UB2960	17700041201	PERTH 6,0W 12VDC 30 LEDs 5000K L=950mm	154,68
	UB2970	17700051201	PERTH 7,2W 12VDC 36 LEDs 5000K L=1150mm	171,56
	UB2980	17700191201	PERTH 7,2W 12Vdc 36 LEDs 5000K L=1163	171,56
	UA6682	12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
	UA6684	12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
42				
	UB4100	17800051200	DERBY 2,5W 12Vdc 36 LEDs 5000K L=450mm	55,00

Kitchen

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
	UB4110	17800061200	DERBY 3,3W 12VDC 48 LEDs 5000K L=600mm	65,88
	UB4120	17800071200	DERBY 5W 12VDC 72 LEDs 5000K L=900mm	89,41
	UB4130	17800081200	DERBY 7,4W 12VDC 108 LEDs 5000K L=1200mm	122,94
	UB4140	17800091200	DERBY TOUCH DIM 1,7W 12VDC 24 LEDs 5000K L=450mm	70,59
	UB4150	17800101200	DERBY TOUCH DIM 3,3W 12VDC 48 LEDs 5000K L=600mm	91,18
	UB4160	17800111200	DERBY TOUCH DIM 5W 12VDC 72 LEDs 5000K L=900mm	116,47
	UB4170	17800121200	DERBY TOUCH DIM 6,6W 12VDC 96 LEDs 5000K L=1200mm	139,41
	UA6682	12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
	UA6684	12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
	UA6120	15200011200	"SLIDE 8W ""A"" T2 SURFACE MOUNTED L= 373mm 220-240V"	90,59
	UA6130	15200021200	"SLIDE 13W ""A"" T2 SURFACE MOUNTED L= 577mm 220-240V"	96,00
	UA6125	15200031200	"SLIDE 8W ""B"" T2 SEMI RECESSED L= 383mm 220-240V"	87,65
	UA6135	15200041200	"SLIDE 13W ""B"" T2 SEMI RECESSED L= 586mm 220-240V"	92,65
43				
	UA2170	10800101201	CORNER FC 8W 230-240V INTERRUTTORE L=330mm	72,18
	UA2171	10800109101	CORNER FC 8W 230-240V INTERRUTTORE L=330mm	75,97
	UA2180	10800111201	CORNER FC 13W 230-240V INTERRUTTORE L=559mm	81,62
	UA2181	10800119101	CORNER FC 13W 230-240V INTERRUTTORE L=559mm	87,35
	UA2190	10800121201	CORNER FC 21W 230-240V INTERRUTTORE L=891mm	100,76
	UA2191	10800129101	CORNER FC 21W 230-240V INTERRUTTORE L=891mm	112,50
	UA2200	10800131201	CORNER FC 28W 230-240V INTERRUTTORE L=1191mm	130,32
	UA2202	10800139101	CORNER FC 28W 230-240V INTERRUTTORE L=1191mm	146,53
	UA2179	10800141201	CORNER PI 8W 230-240V PRESA INTERRUTTORE L=423mm	90,29
	UA2178	10800149101	CORNER PI 8W 230-240V PRESA INTERRUTTORE L=423mm	94,62
	UA2189	10800151201	CORNER PI 13W 230-240V PRESA INTERRUTTORE L=652mm	100,94
	UA2188	10800159101	CORNER PI 13W 230-240V PRESA INTERRUTTORE L=652mm	108,59
	UA2199	10800161201	CORNER PI 21W 230-240V PRESA INTERRUTTORE L=984mm	119,91
	UA2198	10800169101	CORNER PI 21W 230-240V PRESA INTERRUTTORE L=984mm	132,12
	UA2209	10800171201	CORNER PI 28W 230-240V PRESA INTERRUTTORE L=1284mm	146,71
	UA2208	10800179101	CORNER PI 28W 230-240V PRESA INTERRUTTORE L=1284mm	154,41
44				
	UA0280	10800651200	CORNER SWITCH L=93mm	32,12
	UA0281	10800659100	CORNER SWITCH L=93mm	35,53
	UA0290	10800511200	CORNER SWITCH & SOCKET SCHUKO L=150mm	50,44
	UA0289	10800519100	CORNER SWITCH & SOCKET SCHUKO L=150mm	54,29
	UA0270	10800501200	CORNER SINGLE SOCKET SCHUKO L=93mm	35,29
	UA0271	10800509100	CORNER SINGLE SOCKET SCHUKO L=93mm	41,62
	UA0260	10800341200	CORNER DOUBLE SOCKET SCHUKO L=150mm	50,24
	UA0261	10800349100	CORNER DOUBLE SOCKET SCHUKO L=150mm	55,88
	UA0291	10800481200	90° CORNER FILA CONTINUA 150x150mm	79,18
	UA0292	10800489100	90° CORNER FILA CONTINUA 150x150mm	83,71
45				
	UA1000	13500041202	"MIAMI ""A"" 8W 230-240V INTERRUTTORE ED USCITA CAVO DA SCHERMO L=450mm"	63,91

Kitchen

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
	UA1010	13500051202	"MIAMI ""A"" 13W 230-240V INTERRUTTORE ED USCITA CAVO DA SCHERMO L=600mm "	72,56
	UA1020	13500061202	"MIAMI ""A"" 13W 230-240V INTERRUTTORE ED USCITA CAVO DA SCHERMO L=900mm"	76,09
	UA1030	13500071202	"MIAMI ""A"" 21W 230-240V INTERRUTTORE ED USCITA CAVO DA SCHERMO L=1200mm"	97,35
	UA1080	13500081202	MIAMI SENSOR 13W 230-240V SENSORE L=850mm	141,32
	UA1090	13500091202	MIAMI SENSOR 21W 230-240V SENSORE L=1100	157,00
46				
	UA0221	0401201	LUMINELLA ELETTRONICA 8W L=345mm	39,12
		0401203	LUMINELLA ELETTRONICA 8W L=345mm	43,41
	UA0222	0401210	LUMINELLA ELETTRONICA 8W L=345mm	39,12
	UA0231	0401501	LUMINELLA ELETTRONICA 13W L=570mm	42,53
		0401503	LUMINELLA ELETTRONICA 13W L=570mm	48,18
	UA0232	0401510	LUMINELLA ELETTRONICA 13W L=570mm	42,53
	UA0317	1614301.01	HALOGEN-L 2x10W 12Vac/220-240V L=450mm	56,85
	UA0318	1614312.01	HALOGEN-L 2x10W 12Vac/220-240V L=450mm	56,85
	UA0301	1613301	HALOGEN-L 2x20W 12Vac/220-240V L=600mm	62,00
	UA0304	1613312	HALOGEN-L 2x20W 12Vac/220-240V L=600mm	62,00
	UA0311	1613401	HALOGEN-L 3x20W 12Vac/220-240V L=900mm	78,44
	UA0314	1613412	HALOGEN-L 3x20W 12Vac/220-240V L=900mm	78,44
47				
	UA0241	1908601	PRESA SINGOLA HALOGEN-L 220-240V L=150mm	36,21
	UA0244	1908612	PRESA SINGOLA HALOGEN-L 220-240V L=150mm	39,21
	UA0251	1909101	PRESA DOPPIA HALOGEN-L 220-240V L=150mm	58,88
	UA0254	1909112	PRESA DOPPIA HALOGEN-L 220-240V L=150mm	62,94
48				
	UA6150	1698012	HALOGEN-L sensor 1x20W 12Vdc/220-240V L=410mm	107,68
	UA6160	1698112	HALOGEN-L sensor 2x20W 12Vac/220-240V L=560mm	115,15
	UA6170	1698212	HALOGEN-L sensor 2x20W 12Vac/220-240V L=860mm	120,35
	UA6180	1698312	HALOGEN-L sensor 3x20W 12Vac/220-240V L=1160mm	144,35
	UA2130	2332612.02	MILLENNIUM IP65 8W 220-240V L=600mm	98,53
	UA2140	2332712.02	MILLENNIUM IP65 13W 220-240V L=900mm	115,21
	UA2150	2332812.02	MILLENNIUM IP65 21W 220-240V L=1200mm	139,21
49				
		18500010000	SKUBA 2,8W 12VDC 12 LEDs 5500K L= 415mm	86,75
		18500020000	SKUBA 4,8W 12VDC 21 LEDs 5500K L= 665mm	113,44
		18500030000	SKUBA 6,4W 12VDC 28 LEDs 5500K L= 860mm	130,75
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
	UA6100	13700010000	CAMILLA 8W 230-240V L=500mm	52,71
	UA6110	13700020000	CAMILLA 13W 230-240V L=730mm	57,65
50				
	UB8340	16000011201	DETROIT-C 1,7W 12Vdc 24 LEDs L=450mm 1 infrared	72,35
		16000091201	DETROIT-C 2,5W 12Vdc 36 LEDs L=500mm 1 infrared	86,47
	UB8350	16000021201	DETROIT-C 2,5W 12Vdc 36 LEDs L=600mm 1 infrared	86,47

Kitchen

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
		16000101201	DETROIT-C 4,1W 12Vdc 60 LEDs L=800mm 1 infrared	108,24
	UB8360	16000031201	DETROIT-C 5,0W 12Vdc 72 LEDs L=900mm 1 infrared	120,00
	UB8370	16000041201	DETROIT-C 6,6W 12Vdc 96 LEDs L=1200mm 1 infrared	150,59
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
	UB8380	16000051201	DETROIT-S 1,7W 12Vdc 24 LEDs L=450mm 1 infrared	74,71
	UB8390	16000061201	DETROIT-S 2,5W 12Vdc 36 LEDs L=600mm 1 infrared	88,82
	UB8400	16000071201	DETROIT-S 3,3W 12Vdc 48 LEDs L=900mm 2 infrared	133,53
	UB8410	16000081201	DETROIT-S 5,0W 12Vdc 72 LEDs L=1200mm 2 infrared	162,35
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
51	UA6015	13501471200	MIAMI-C 8W 230-240V L=560mm 1 INTERRUTTORE FINECORSA	59,94
	UA6025	13501481200	MIAMI-C 13W 230-240V L=860mm 1 INTERRUTTORE FINECORSA	68,18
	UA6035	13501491200	MIAMI-C 21W 230-240V L=1160mm 1 INTERRUTTORE FINECORSA	79,41
	UA6045	13501501200	MIAMI-S 8W 230-240V L=560mm 1 INTERRUTTORE FINECORSA	63,62
	UA6055	13501511200	MIAMI-S 13W 230-240V L=860mm 2 INTERRUTTORE FINECORSA	76,29
	UA6065	13501521200	MIAMI-S 21W 230-240V L=1160mm 2 INTERRUTTORE FINECORSA	92,41
52				
	UA7480	12802240901	SUNNY HE 1,3W 12Vdc 5000K 18 LEDs	18,82
	UA7490	12802246501	SUNNY HE 1,3W 12Vdc 5000K 18 LEDs	18,82
	UA7481	12802249101	SUNNY HE 1,3W 12Vdc 5000K 18 LEDs	18,82
	UA7450	12802230901	SUNNY HE 1,3W 12Vdc 3200K 18 LEDs	19,68
	UA7460	12802236501	SUNNY HE 1,3W 12Vdc 3200K 18 LEDs	19,68
	UA7470	12802239101	SUNNY HE 1,3W 12Vdc 3200K 18 LEDs	19,68
		12802260901	SUNNY SQUARE HE 1,3W 12Vdc 5000K 16 LEDs	17,79
	UA7491	12802266501	SUNNY SQUARE HE 1,3W 12Vdc 5000K 16 LEDs	17,79
	UA7493	12802269101	SUNNY SQUARE HE 1,3W 12Vdc 5000K 16 LEDs	17,79
	UA7451	12802250901	SUNNY SQUARE HE 1,3W 12Vdc 3200K 16 LEDs	18,65
	UA7461	12802256501	SUNNY SQUARE HE 1,3W 12Vdc 3200K 16 LEDs	18,65
	UA7471	12802259101	SUNNY SQUARE HE 1,3W 12Vdc 3200K 16 LEDs	18,65
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
		12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88

Kitchen

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
53				
	UB7600	12802470101	SUNNY HE.IN TT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7620	12802470901	SUNNY HE.IN TT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7630	12802476501	SUNNY HE.IN TT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7640	12802479101	SUNNY HE.IN TT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7540	12802460101	SUNNY HE.IN TT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7560	12802460901	SUNNY HE.IN TT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7570	12802466501	SUNNY HE.IN TT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7580	12802469101	SUNNY HE.IN TT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7700	12802490101	SUNNY HE.IN QT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7720	12802490901	SUNNY HE.IN QT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7730	12802496501	SUNNY HE.IN QT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7740	12802499101	SUNNY HE.IN QT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7650	12802480101	SUNNY HE.IN QT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7670	12802480901	SUNNY HE.IN QT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7680	12802486501	SUNNY HE.IN QT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7690	12802489101	SUNNY HE.IN QT 1,3W 12Vdc 3200K 18 LEDs	22,06
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
		12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
54				
	UB7780	12802510101	SUNNY HE.IN QQ 1,3W 12Vdc 5000K 18 LEDs	21,18
		12802510901	SUNNY HE.IN QQ 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7790	12802516501	SUNNY HE.IN QQ 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7800	12802519101	SUNNY HE.IN QQ 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7750	12802500101	SUNNY HE.IN QQ 1,3W 12Vdc 3200K 18 LEDs	22,06
		12802500901	SUNNY HE.IN QQ 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7760	12802506501	SUNNY HE.IN QQ 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7770	12802509101	SUNNY HE.IN QQ 1,3W 12Vdc 3200K 18 LEDs	22,06
		16700016501	SIRIO 1,7W 12Vdc 5000K 24 LEDs	27,94
		16700026501	SIRIO 1,7W 12Vdc 3200K 24 LEDs	29,71
		16700056500	SPACER SIRIO	2,12
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
		12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
55				
	UB7100	18700010900	NOVA.IN TT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB7110	18700016500	NOVA.IN TT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB7120	18700019100	NOVA.IN TT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB7130	18700020900	NOVA.IN TT 2,7W 12Vdc 3200K 39 LEDs	45,31

Kitchen

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
	UB7140	18700026500	NOVA.IN TT 2,7W 12Vdc 3200K 39 LEDs	45,31
	UB7150	18700029100	NOVA.IN TT 2,7W 12Vdc 3200K 39 LEDs	45,31
	UB7160	18700030900	NOVA.IN QT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB7170	18700036500	NOVA.IN QT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB7180	18700039100	NOVA.IN QT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB719	18700040900	NOVA.IN QT 2,7W 12Vdc 3200K 39 LEDs	45,31
	UB7200	18700046500	NOVA.IN QT 2,7W 12Vdc 3200K 39 LEDs	45,31
	UB7210	18700049100	NOVA.IN QT 2,7W 12Vdc 3200K 39 LEDs	45,31
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
		12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
56				
	UA1800	N1631512	EASY 20W 12Vac CONNETTORE MINI PK	11,85
	UA1810	12805026501	EASY LED 1,3W 12Vdc 18LED 5000K	28,24
	UA1811	12802906501	EASY LED 1,3W 12Vdc 18LED 3200K	29,12
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
57				
	UB4270	17000010100	BASE faretto segnapasso 0,4W 12Vdc 5000K 4 LED	19,71
	UB4280	17000010900	BASE faretto segnapasso 0,4W 12Vdc 5000K 4 LED	20,29
	UB4290	17000016500	BASE faretto segnapasso 0,4W 12Vdc 5000K 4 LED	20,29
	UB4300	17000020100	BASE faretto segnapasso 0,4W 12Vdc 3200K 4 LED	20,29
	UB4310	17000020900	BASE faretto segnapasso 0,4W 12Vdc 3200K 4 LED	20,88
	UB4320	17000026500	BASE faretto segnapasso 0,4W 12Vdc 3200K 4 LED	20,88
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
	UB7820	12802530001	MATRIX 2W 24Vdc 5000K 25 LEDs	24,00
	UB7810	12802520001	MATRIX 2W 24Vdc 3200K 25 LEDs	25,65
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
		12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UB8170	12501280101	AC/DC POWER SUPPLY 24Vdc 15W 12way european plug	25,74

Kitchen

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
	UA8160	12502910101	AC/DC POWER SUPPLY 24Vdc 30W 12way european plug	40,88
58				
	UB4200	18200010100	MATRIX.IN 2W 24Vdc 5000K 25 LEDs	24,97
	UB4210	18200016500	MATRIX.IN 2W 24Vdc 5000K 25 LEDs	24,97
	UB4220	18200019100	MATRIX.IN 2W 24Vdc 5000K 25 LEDs	24,97
	UB4230	18200020100	MATRIX.IN 2W 24Vdc 3200K 25 LEDs	26,59
	UB4240	18200026500	MATRIX.IN 2W 24Vdc 3200K 25 LEDs	26,59
	UB4250	18200029100	MATRIX.IN 2W 24Vdc 3200K 25 LEDs	26,59
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
		12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UB8170	12501280101	AC/DC POWER SUPPLY 24Vdc 15W 12way european plug	25,74
	UB8160	12502910101	AC/DC POWER SUPPLY 24Vdc 30W 12way european plug	40,88
	UB2550	16100010101	RETTANGOLO 1,2W 350mA 6000K L=2mt	23,82
	UB2580	16100011201	RETTANGOLO 1,2W 350mA 6000K L=2mt	23,24
	UB2590	16100019101	RETTANGOLO 1,2W 350mA 6000K L=2mt	24,41
	UB2600	16100020101	RETTANGOLO TOUCH 1,2W 350mA 6000K L=2mt	45,12
	UB2630	16100021201	RETTANGOLO TOUCH 1,2W 350mA 6000K L=2mt	44,00
	UB2640	16100029101	RETTANGOLO TOUCH 1,2W 350mA 6000K L=2mt	46,21
	UB2800	12804070100	EXTENSION CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore connec-	1,59
	UB2810	12804080100	EXTENSION CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connection	2,12
	UB2820	12804090100	EXTENSION CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connection	2,65
	UB2780	12804130100	CONNECTION CORD TK MASCHIO/MASCHIO L= 1m 350-700mA (da distributore a lampa-	2,12
	UB2790	12804140100	CONNECTION CORD TK MASCHIO/MASCHIO L= 2m 350-700mA (da distributore a lampa-	2,94
	UB2650	12503090100	POWER SUPPLY UNIT 6W 350mA 1way european plug	18,53
	UB2651	12503530100	POWER SUPPLY UNIT 12W 350mA 1way european plug	29,12
59				
		16100801200	KIT RETTANGOLO TOUCH 3x1,2W 6000K	107,35
	UB2660	16100031200	TRACK RETTANGOLO 2,4W 350mA 6000K L=450mm N°2LED	52,94
	UB2670	16100041200	TRACK RETTANGOLO 2,4W 350mA 6000K L=500mm N°2LED	58,82
	UB2680	16100051200	TRACK RETTANGOLO 3,6W 350mA 6000K L=600mm N°3LED	76,47
	UB2690	16100061200	TRACK RETTANGOLO 4,8W 350mA 6000K L=800mm N°4LED	105,88
	UB2700	16100071200	TRACK RETTANGOLO 4,8W 350mA 6000K L=900mm N°4LED	111,76
	UB2710	16100081200	TRACK RETTANGOLO 6,0W 350mA 6000K L=1000mm N°5LED	135,29
	UB2712	16100091200	TRACK RETTANGOLO 7,2W 350mA 6000K L=1200mm N°6LED	161,76
	UB2720	16100101200	TRACK RETTANGOLO TOUCH 2,4W 350mA 6000K L=500mm N°2LED	69,29
	UB2730	16100111200	TRACK RETTANGOLO TOUCH 3,6W 350mA 6000K L=600mm N°3LED	86,94
	UB2740	16100121200	TRACK RETTANGOLO TOUCH 4,8W 350mA 6000K L=800mm N°4LED	116,35
	UB2750	16100131200	TRACK RETTANGOLO TOUCH 4,8W 350mA 6000K L=900mm N°4LED	122,24
	UB2760	16100141200	TRACK RETTANGOLO TOUCH 6,0W 350mA 6000K L=1000mm N°5LED	145,76
	UB2770	16100151200	TRACK RETTANGOLO TOUCH 7,2W 350mA 6000K L=1200mm N°6LED	172,24
	UB2800	12804070100	EXTENSION CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore connec-	1,59
	UB2810	12804080100	EXTENSION CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connection	2,12

Kitchen

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
	UB2800	12804090100	EXTENSION CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connection	2,65
	UB2780	12804130100	CONNECTION CORD TK MASCHIO/MASCHIO L= 1m 350-700mA (da distributore a lampa-	2,12
	UB2790	12804140100	CONNECTION CORD TK MASCHIO/MASCHIO L= 2m 350-700mA (da distributore a lampa-	2,94
	UB2650	12503090100	POWER SUPPLY UNIT 6W 350mA 1way european plug	18,53
	UB2651	12503530100	POWER SUPPLY UNIT 12W 350mA 1way european plug	29,12
60				
	UB2850	16500031200	BOMBAY C 3W 350mA 5000K 1m	58,50
	UB2860	16500061200	BOMBAY C TOUCH 3W 350mA 5000K 1m	80,94
	UB2800	12804070100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore con-	1,59
	UB2810	12804080100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connec-	2,12
	UB2820	12804090100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connec-	2,65
	UB2780	12804130100	CONNECTION CORD TK MASCHIO/MASCHIO L= 1m 350-700mA (da distributore a lampa-	2,12
	UB2790	12804140100	CONNECTION CORD TK MASCHIO/MASCHIO L= 2m 350-700mA (da distributore a lampa-	2,94
	UB2650	12503090100	POWER SUPPLY UNIT 6W 350mA 1way european plug	18,53
	UB2651	12503530100	POWER SUPPLY UNIT 12W 350mA 1way european plug	29,12
	UA4600	M1655301	MICRON-P 20W 12Vac CONNETTORE MINI PK	6,06
	UA4610	M1655303	MICRON-P 20W 12Vac CONNETTORE MINI PK	6,06
	UA4620	M1655308	MICRON-P 20W 12Vac CONNETTORE MINI PK	6,47
	UA4630	M1655309	MICRON-P 20W 12Vac CONNETTORE MINI PK	6,47
	UA4640	M1655312	MICRON-P 20W 12Vac CONNETTORE MINI PK	6,47
	UA4650	M1655385	MICRON-P 20W 12Vac CONNETTORE MINI PK	6,47
	UA8980	M1788201	FLAT 70W 230/12V COMPLETO DI PROLUNGA L=2m E MINI-D 6 uscite	25,97
	UA8970	M1788301	FLAT 105W 230/12V COMPLETO DI PROLUNGA L=2m E MINI-D 6 uscite	27,21
61				
	UA3410	N1612601	MICRON-BV 20W 12Vac CONNETTORE MINI PK	6,94
	UA3420	N1612603	MICRON-BV 20W 12Vac CONNETTORE MINI PK	6,94
	UA3430	N1612608	MICRON-BV 20W 12Vac CONNETTORE MINI PK	7,65
	UA3440	N1612609	MICRON-BV 20W 12Vac CONNETTORE MINI PK	7,65
	UA3450	N1612612	MICRON-BV 20W 12Vac CONNETTORE MINI PK	7,65
	UA3460	N1612685	MICRON-BV 20W 12Vac CONNETTORE MINI PK	7,65
	UA4501	N1623001	MICRON-BVS 10W 12Vac CONNETTORE MINI PK	6,76
	UA4502	N1623003	MICRON-BVS 10W 12Vac CONNETTORE MINI PK	6,76
	UA4504	N1623008	MICRON-BVS 10W 12Vac CONNETTORE MINI PK	7,56
	UA4506	N1623009	MICRON-BVS 10W 12Vac CONNETTORE MINI PK	7,56
	UA4503	N1623012	MICRON-BVS 10W 12Vac CONNETTORE MINI PK	7,56
	UA4508	N1623085	MICRON-BVS 10W 12Vac CONNETTORE MINI PK	7,91
	UA4511	1631201	MICRON-BVS 20W 12Vac CONNETTORE MINI PK	7,06
	UA4522	1631203	MICRON-BVS 20W 12Vac CONNETTORE MINI PK	7,06
	UA4544	1631208	MICRON-BVS 20W 12Vac CONNETTORE MINI PK	7,91
	UA4523	1631209	MICRON-BVS 20W 12Vac CONNETTORE MINI PK	7,91
	UA4533	1631212	MICRON-BVS 20W 12Vac CONNETTORE MINI PK	7,91
	UA4507	1631285	MICRON-BVS 20W 12Vac CONNETTORE MINI PK	7,91
	UA8980	M1788201	FLAT 70W 230/12V COMPLETO DI PROLUNGA L=2m E MINI-D 6 uscite	25,97
	UA8970	M1788301	FLAT 105W 230/12V COMPLETO DI PROLUNGA L=2m E MINI-D 6 uscite	27,21

Living Room

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
66				
		16900166500	FLY LIGHT 0,7W 12Vdc L= 413mm	31,56
		16900136500	FLY LIGHT 1,4W 12Vdc L= 563mm	43,75
		16900146500	FLY LIGHT 2,1W 12Vdc L= 863mm	59,38
		16900156500	FLY LIGHT 2,8W 12Vdc L= 1163mm	75,00
	UB7830	15500011200	MONACO 0,7W 12Vdc 10 LEDs L=450mm	85,88
	UB7840	15500021200	MONACO 1,4W 12Vdc.20 LEDs L=600mm	104,12
	UB7850	15500031200	MONACO 2,1W 12Vdc 30 LEDs L=900mm	137,06
	UB7860	15500041200	MONACO 2,8W 12Vdc 40 LEDs L=1200mm	164,71
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
		12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	41,47
67				
	UA5700	13600011200	MALIBU FLUORESCENTE 8W INTERRUTTORE L=500mm	107,06
	UA5710	13600021200	MALIBU FLUORESCENTE 13W INTERRUTTORE L=600mm	118,82
	UA5720	13600031200	MALIBU FLUORESCENTE 21W INTERRUTTORE L=900mm	152,26
	UA5730	13600041200	MALIBU FLUORESCENTE 28W INTERRUTTORE L=1200mm	189,03
	UA5760	13600051200	MALIBU FLUORESCENTE 8W L=500mm	94,18
	UA5770	13600061200	MALIBU FLUORESCENTE 13W L=600mm	106,97
	UA5780	13600071200	MALIBU FLUORESCENTE 21W L=900mm	140,18
	UA5790	13600081200	MALIBU FLUORESCENTE 28W L=1200mm	177,18
	UA2210	2351012-25.03	MEMPHIS 8W 220-240V PROF=200mm INTERRUTTORE L=450mm	115,76
	UA2211	2351091-25.03	MEMPHIS 8W 220-240V PROF=200mm INTERRUTTORE L=450mm	133,68
	UA2220	2351112-25.03	MEMPHIS 13W 220-240V PROF=200mm INTERRUTTORE L=600mm	133,18
	UA2221	2351191-25.03	MEMPHIS 13W 220-240V PROF=200mm INTERRUTTORE L=600mm	151,71
	UA2230	2351212-25.03	MEMPHIS 21W 220-240V PROF=200mm INTERRUTTORE L=900mm	174,47
	UA2231	2351291-25.03	MEMPHIS 21W 220-240V PROF=200mm INTERRUTTORE L=900mm	193,88
	UA2240	2351312-25.03	MEMPHIS 28W 220-240V PROF=200mm INTERRUTTORE L=1200mm	219,71
	UA2241	2351391-25.03	MEMPHIS 28W 220-240V PROF=200mm INTERRUTTORE L=1200mm	243,38
68				
	UA7040	12803386501	SPOT LED 1,2W 6500K DA INCASSO CAVO L=2mt 100lm	27,21
	UA7030	12803396501	SPOT LED-S 1,2W 6500K SPORGENTE (CONO) L=2mt 100lm	40,76
	UB2800	12804070100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore con-	1,59
	UB2810	12804080100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connec-	2,12
	UB2820	12804090100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connec-	2,65
	UB0540	12503010100	HIGH POWER SUPPLY 350mA 6W 6way european plug	22,35
	UB0550	12503020100	HIGH POWER SUPPLY 350mA 12W 9way european plug	35,29
69				
	UB0200	12803180100	TONGA 1,2W 350mA 6000°K 100lm	20,47
	UB0210	12803180200	TONGA 1,2W 350mA 6000°K 100lm	20,47
	UB0220	12803180400	TONGA 1,2W 350mA 6000°K 100lm	20,47
	UB0230	12803180900	TONGA 1,2W 350mA 6000°K 100lm	20,47
	UB0240	12803181600	TONGA 1,2W 350mA 6000°K 100lm	20,47

Living Room

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
	UB0250	12803186500	TONGA 1,2W 350mA 6000°K 100lm	20,47
	UB0260	12803188000	TONGA 1,2W 350mA 6000°K 100lm	20,47
	UB0270	12803260100	TONGA 1,2W 350mA 3200°K	20,47
	UB0280	12803260200	TONGA 1,2W 350mA 3200°K	20,47
	UB0290	12803260400	TONGA 1,2W 350mA 3200°K	20,47
	UB0300	12803260900	TONGA 1,2W 350mA 3200°K	20,47
	UB0310	12803261600	TONGA 1,2W 350mA 3200°K	20,47
	UB0320	12803266500	TONGA 1,2W 350mA 3200°K	20,47
	UB0330	12803268000	TONGA 1,2W 350mA 3200°K	20,47
	UB2800	12804070100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore con-	1,59
	UB2810	12804080100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connec-	2,12
	UB2820	12804090100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connec-	2,65
	UB0540	12503010100	HIGH POWER SUPPLY 350mA 6W 6way european plug	22,35
	UB0550	12503020100	HIGH POWER SUPPLY 350mA 12W 9way european plug	35,29
	UB0340	12803190100	FIJI 1,2W 350mA 6000°K 100lm	20,47
	UB0350	12803190200	FIJI 1,2W 350mA 6000°K 100lm	20,47
	UB0360	12803190400	FIJI 1,2W 350mA 6000°K 100lm	20,47
	UB0370	12803190900	FIJI 1,2W 350mA 6000°K 100lm	20,47
	UB0380	12803191600	FIJI 1,2W 350mA 6000°K 100lm	20,47
	UB0390	12803196500	FIJI 1,2W 350mA 6000°K 100lm	20,47
	UB0400	12803198000	FIJI 1,2W 350mA 6000°K 100lm	20,47
	UB0410	12803270100	FIJI 1,2W 350mA 3200°K	20,47
	UB0420	12803270200	FIJI 1,2W 350mA 3200°K	20,47
	UB0430	12803270400	FIJI 1,2W 350mA 3200°K	20,47
	UB0440	12803270900	FIJI 1,2W 350mA 3200°K	20,47
	UB0450	12803271600	FIJI 1,2W 350mA 3200°K	20,47
	UB0460	12803276500	FIJI 1,2W 350mA 3200°K	20,47
	UB0470	12803278000	FIJI 1,2W 350mA 3200°K	20,47
	UB2800	12804070100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore con-	1,59
	UB2810	12804080100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connec-	2,12
	UB2820	12804090100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connec-	2,65
	UB0540	12503010100	HIGH POWER SUPPLY 350mA 6W 6way european plug	22,35
	UB0550	12503020100	HIGH POWER SUPPLY 350mA 12W 9way european plug	35,29
	UB0480	12803200100	SAMOA 1,2W 350mA 6000°K 100lm	17,53
	UB0490	12803200900	SAMOA 1,2W 350mA 6000°K 100lm	17,53
	UB0500	12803206500	SAMOA 1,2W 350mA 6000°K 100lm	17,53
	UB0510	12803280100	SAMOA 1,2W 350mA 3200°K	17,53
	UB0520	12803280900	SAMOA 1,2W 350mA 3200°K	17,53
	UB0530	12803286500	SAMOA 1,2W 350mA 3200°K	17,53
	UB2800	12804070100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore con-	1,59
	UB2810	12804080100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connec-	2,12
	UB2820	12804090100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connec-	2,65
	UB0540	12503010100	HIGH POWER SUPPLY 350mA 6W 6way european plug	22,35
	UB0550	12503020100	HIGH POWER SUPPLY 350mA 12W 9way european plug	35,29

Living Room

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
70				
	UB2550	16100010101	RETTANGOLO 1,2W 350mA 6000K L=2mt	23,82
	UB2580	16100011201	RETTANGOLO 1,2W 350mA 6000K L=2mt	23,24
	UB2590	16100019101	RETTANGOLO 1,2W 350mA 6000K L=2mt	24,41
	UB2600	16100020101	RETTANGOLO TOUCH 1,2W 350mA 6000K L=2mt	45,12
	UB2630	16100021201	RETTANGOLO TOUCH 1,2W 350mA 6000K L=2mt	44,00
	UB2640	16100029101	RETTANGOLO TOUCH 1,2W 350mA 6000K L=2mt	46,21
	UB2800	12804070100	EXTENSION CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore connec-	1,59
	UB2810	12804080100	EXTENSION CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connection	2,12
	UB2820	12804090100	EXTENSION CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connection	2,65
	UB2780	12804130100	CONNECTION CORD TK MASCHIO/MASCHIO L= 1m 350-700mA (da distributore a lampa-	2,12
	UB2790	12804140100	CONNECTION CORD TK MASCHIO/MASCHIO L= 2m 350-700mA (da distributore a lampa-	2,94
	UB2650	12503090100	POWER SUPPLY UNIT 6W 350mA 1way european plug	18,53
	UB2651	12503530100	POWER SUPPLY UNIT 12W 350mA 1way european plug	29,12
		16100801200	KIT RETTANGOLO TOUCH 3x1,2W 6000K	107,3
	UB2800	12804070100	EXTENSION CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore connec-	1,59
	UB2810	12804080100	EXTENSION CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connection	2,12
	UB2820	12804090100	EXTENSION CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connection	2,65
	UB2780	12804130100	CONNECTION CORD TK MASCHIO/MASCHIO L= 1m 350-700mA (da distributore a lampa-	2,12
	UB2790	12804140100	CONNECTION CORD TK MASCHIO/MASCHIO L= 2m 350-700mA (da distributore a lampa-	2,94
71				
	UB2660	16100031200	TRACK RETTANGOLO 2,4W 350mA 6000K L=450mm N°2LED	52,94
	UB2670	16100041200	TRACK RETTANGOLO 2,4W 350mA 6000K L=500mm N°2LED	58,82
	UB2680	16100051200	TRACK RETTANGOLO 3,6W 350mA 6000K L=600mm N°3LED	76,47
	UB2690	16100061200	TRACK RETTANGOLO 4,8W 350mA 6000K L=800mm N°4LED	105,8
	UB2700	16100071200	TRACK RETTANGOLO 4,8W 350mA 6000K L=900mm N°4LED	111,7
	UB2710	16100081200	TRACK RETTANGOLO 6,0W 350mA 6000K L=1000mm N°5LED	135,2
	UB2712	16100091200	TRACK RETTANGOLO 7,2W 350mA 6000K L=1200mm N°6LED	161,7
	UB2720	16100101200	TRACK RETTANGOLO TOUCH 2,4W 350mA 6000K L=500mm N°2LED	69,29
	UB2730	16100111200	TRACK RETTANGOLO TOUCH 3,6W 350mA 6000K L=600mm N°3LED	86,94
	UB2740	16100121200	TRACK RETTANGOLO TOUCH 4,8W 350mA 6000K L=800mm N°4LED	116,3
	UB2750	16100131200	TRACK RETTANGOLO TOUCH 4,8W 350mA 6000K L=900mm N°4LED	122,2
	UB2760	16100141200	TRACK RETTANGOLO TOUCH 6,0W 350mA 6000K L=1000mm N°5LED	145,7
	UB2770	16100151200	TRACK RETTANGOLO TOUCH 7,2W 350mA 6000K L=1200mm N°6LED	172,2
	UB2800	12804070100	EXTENSION CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore connec-	1,59
	UB2810	12804080100	EXTENSION CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connection	2,12
	UB2820	12804090100	EXTENSION CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connection	2,65
	UB2780	12804130100	CONNECTION CORD TK MASCHIO/MASCHIO L= 1m 350-700mA (da distributore a lampa-	2,12
	UB2790	12804140100	CONNECTION CORD TK MASCHIO/MASCHIO L= 2m 350-700mA (da distributore a lampa-	2,94
	UB2650	12503090100	POWER SUPPLY UNIT 6W 350mA 1way european plug	18,53
	UB2651	12503530100	POWER SUPPLY UNIT 12W 350mA 1way european plug	29,12
	UB2850	16500031200	BOMBAY C 3W 350mA 5000K 1m	58,50

Bedroom

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
74				
	UB8070	15800011201	VENICE 2,5W 12Vdc 36 LEDs L=500mm	55,29
	UB8080	15800021201	VENICE 4,1W 12Vdc 60 LEDs L=760mm	80,88
	UB8090	15800031201	VENICE 5,8W 12Vdc 84 LEDs L=1000mm	101,47
	UB8730	15800881200	VENICE SENSOR DX 2,5W 12Vdc 36 LEDs L=500mm	88,82
	UB8740	15800891200	VENICE SENSOR DX 4,1W 12Vdc 60 LEDs L=760mm	115,00
	UB875	15800901200	VENICE SENSOR DX 5,8W 12Vdc 84 LEDs L=1000mm	135,59
	UB8760	15800951200	VENICE SENSOR SX 2,5W 12Vdc 36 LEDs L=500mm	88,82
	UB8770	15800961200	VENICE SENSOR SX 4,1W 12Vdc 60 LEDs L=760mm	115,00
	UB8780	15800971200	VENICE SENSOR SX 5,8W 12Vdc 84 LEDs L=1000mm	135,59
	UA6682	12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
	UA6684	12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
	UB2900	17700011201	PERTH 1,8W 12VDC 9 LEDs 5000K L=400mm	96,56
	UB2910	17700161201	PERTH 1,8W 12Vdc 9 LEDs 5000K L=413mm	96,56
	UB2920	17700021201	PERTH 3,6W 12VDC 18 LEDs 5000K L=550mm	117,18
	UB2930	17700171201	PERTH 3,6W 12Vdc 18 LEDs 5000K L=563mm	117,18
	UB2940	17700031201	PERTH 5,4W 12VDC 27 LEDs 5000K L=850mm	139,06
	UB2950	17700181201	PERTH 5,4W 12Vdc 27 LEDs 5000K L=863	139,06
	UB2960	17700041201	PERTH 6,0W 12VDC 30 LEDs 5000K L=950mm	154,68
	UB2970	17700051201	PERTH 7,2W 12VDC 36 LEDs 5000K L=1150mm	171,56
	UB2980	17700191201	PERTH 7,2W 12Vdc 36 LEDs 5000K L=1163	171,56
	UA6682	12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
	UA6684	12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
75				
	UB7870	15600011201	FREE LED 2,5W 12VDC 36 LEDs L=540mm	53,53
	UB7880	15600021201	FREE LED 4,1W 12VDC 60 LEDs L=750mm	75,29
	UB7890	15600031201	FREE LED 5,0W 12VDC 72 LEDs L=870mm	87,06
	UB7900	15600041201	FREE LED 5,8W 12VDC 84 LEDs L=1050mm	100,00
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UB7911	12601910101	KIT SENSOR CON ALIMENTATORE 6W 12VDC E DISTRIBUTORE 4VIE	82,06
	UB7910	12601590102	KIT SENSOR + POWER SUPPLY 15W 12Vdc 12way	93,82
	UB7920	12601600102	KIT SENSOR + POWER SUPPLY 30W 12Vdc 12way	107,35
	UA8200	230560M/8W-S.01	FREE CON SENSORE L=560 8W 230V SUPPORTO IN ALLUMINIO	140,94
	UA8210	230860M/13W-S.1	FREE CON SENSORE L=860 13W 230V SUPPORTO IN ALLUMINIO	150,50
	UA8220	230898M/13W-S.1	FREE CON SENSORE L=898 13W 230V SUPPORTO IN ALLUMINIO	153,68
	UA8230	231080M/21W-S.1	FREE CON SENSORE L=1080 21W 230V SUPPORTO IN ALLUMINIO	172,62

Interiors

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
86				
	UA7040	12803386501	SPOT LED 1,2W 6500K DA INCASSO CAVO L=2mt 100lm	27,21
	UA7030	12803396501	SPOT LED-S 1,2W 6500K SPORGENTE (CONO) L=2mt 100lm	40,76
	UB2800	12804070100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore con-	1,59
	UB2810	12804080100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connec-	2,12
	UB2820	12804090100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connec-	2,65
	UB0540	12503010100	HIGH POWER SUPPLY 350mA 6W 6way european plug	22,35
	UB0550	12503020100	HIGH POWER SUPPLY 350mA 12W 9way european plug	35,29
87	UB0200	12803180100	TONGA 1,2W 350mA 6000°K 100lm	20,47
	UB0210	12803180200	TONGA 1,2W 350mA 6000°K 100lm	20,47
	UB0220	12803180400	TONGA 1,2W 350mA 6000°K 100lm	20,47
	UB0230	12803180900	TONGA 1,2W 350mA 6000°K 100lm	20,47
	UB0240	12803181600	TONGA 1,2W 350mA 6000°K 100lm	20,47
	UB0250	12803186500	TONGA 1,2W 350mA 6000°K 100lm	20,47
	UB0260	12803188000	TONGA 1,2W 350mA 6000°K 100lm	20,47
	UB0270	12803260100	TONGA 1,2W 350mA 3200°K	20,47
	UB0280	12803260200	TONGA 1,2W 350mA 3200°K	20,47
	UB0290	12803260400	TONGA 1,2W 350mA 3200°K	20,47
	UB0300	12803260900	TONGA 1,2W 350mA 3200°K	20,47
	UB0310	12803261600	TONGA 1,2W 350mA 3200°K	20,47
	UB0320	12803266500	TONGA 1,2W 350mA 3200°K	20,47
	UB0330	12803268000	TONGA 1,2W 350mA 3200°K	20,47
	UB2800	12804070100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore con-	1,59
	UB2810	12804080100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connec-	2,12
	UB2820	12804090100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connec-	2,65
	UB0540	12503010100	HIGH POWER SUPPLY 350mA 6W 6way european plug	22,35
	UB0550	12503020100	HIGH POWER SUPPLY 350mA 12W 9way european plug	35,29
	UB0340	12803190100	FIJI 1,2W 350mA 6000°K 100lm	20,47
	UB0350	12803190200	FIJI 1,2W 350mA 6000°K 100lm	20,47
	UB0360	12803190400	FIJI 1,2W 350mA 6000°K 100lm	20,47
	UB0370	12803190900	FIJI 1,2W 350mA 6000°K 100lm	20,47
	UB0380	12803191600	FIJI 1,2W 350mA 6000°K 100lm	20,47
	UB0390	12803196500	FIJI 1,2W 350mA 6000°K 100lm	20,47
	UB0400	12803198000	FIJI 1,2W 350mA 6000°K 100lm	20,47
	UB0410	12803270100	FIJI 1,2W 350mA 3200°K	20,47
	UB0420	12803270200	FIJI 1,2W 350mA 3200°K	20,47
	UB0430	12803270400	FIJI 1,2W 350mA 3200°K	20,47
	UB0440	12803270900	FIJI 1,2W 350mA 3200°K	20,47
	UB0450	12803271600	FIJI 1,2W 350mA 3200°K	20,47
	UB0460	12803276500	FIJI 1,2W 350mA 3200°K	20,47
	UB0470	12803278000	FIJI 1,2W 350mA 3200°K	20,47
	UB2800	12804070100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore con-	1,59
	UB2810	12804080100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connec-	2,12
	UB2820	12804090100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connec-	2,65

Interiors

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
	UB0540	12503010100	HIGH POWER SUPPLY 350mA 6W 6way european plug	22,35
	UB0550	12503020100	HIGH POWER SUPPLY 350mA 12W 9way european plug	35,29
88	UB0480	12803200100	SAMOA 1,2W 350mA 6000°K 100lm	17,53
	UB0490	12803200900	SAMOA 1,2W 350mA 6000°K 100lm	17,53
	UB0500	12803206500	SAMOA 1,2W 350mA 6000°K 100lm	17,53
	UB0510	12803280100	SAMOA 1,2W 350mA 3200°K	17,53
	UB0520	12803280900	SAMOA 1,2W 350mA 3200°K	17,53
	UB0530	12803286500	SAMOA 1,2W 350mA 3200°K	17,53
	UB2800	12804070100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore con-	1,59
	UB2810	12804080100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connec-	2,12
	UB2820	12804090100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connec-	2,65
	UB0540	12503010100	HIGH POWER SUPPLY 350mA 6W 6way european plug	22,35
	UB0550	12503020100	HIGH POWER SUPPLY 350mA 12W 9way european plug	35,29
	UB1100	16800020300	LIGHT POINT 1,3W 350mA 5000K	41,76
	UB1110	16800026500	LIGHT POINT 1,3W 350mA 5000K	41,76
	UB1120	16800040300	LIGHT POINT 1,3W 350mA 3200K	42,65
	UB1130	16800046500	LIGHT POINT 1,3W 350mA 3200K	42,65
	UB2800	12804070100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore con-	1,59
	UB2810	12804080100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connec-	2,12
	UB2820	12804090100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connec-	2,65
	UB0540	12503010100	HIGH POWER SUPPLY 350mA 6W 6way european plug	22,35
	UB0550	12503020100	HIGH POWER SUPPLY 350mA 12W 9way european plug	35,29
89	UB1000	17600010100	JAVA ROUND 3,6W 350mA 5700K 2m	89,06
	UB1010	17600016500	JAVA ROUND 3,6W 350mA 5700K 2m	89,06
	UB1020	17600030100	JAVA ROUND 3,6W 350mA 2800K 2m	82,82
	UB1030	17600036500	JAVA ROUND 3,6W 350mA 2800K 2m	82,82
	UB1040	17600020100	JAVA SQUARE 4,8W 350mA 5700K 2m	110,32
	UB1050	17600026500	JAVA SQUARE 4,8W 350mA 5700K 2m	110,32
	UB1060	17600040100	JAVA SQUARE 4,8W 350mA 2800K 2m	101,56
	UB1070	17600046500	JAVA SQUARE 4,8W 350mA 2800K 2m	101,56
	UB2800	12804070100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore con-	1,59
	UB2810	12804080100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connec-	2,12
	UA2820	12804090100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connec-	2,65
	UB0550	12503020100	HIGH POWER SUPPLY 350mA 12W 9way european plug	35,29
		12504510100	HIGH POWER SUPPLY 350mA 18W 6way european plug	40,88
90	UA7480	12802240901	SUNNY HE 1,3W 12Vdc 5000K 18 LEDs	18,82
	UA7490	12802246501	SUNNY HE 1,3W 12Vdc 5000K 18 LEDs	18,82
	UA7481	12802249101	SUNNY HE 1,3W 12Vdc 5000K 18 LEDs	18,82
	UA7450	12802230901	SUNNY HE 1,3W 12Vdc 3200K 18 LEDs	19,68
	UA7460	12802236501	SUNNY HE 1,3W 12Vdc 3200K 18 LEDs	19,68
	UA7470	12802239101	SUNNY HE 1,3W 12Vdc 3200K 18 LEDs	19,68
		12802260901	SUNNY SQUARE HE 1,3W 12Vdc 5000K 16 LEDs	17,79

Interiors

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
	UA7491	12802266501	SUNNY SQUARE HE 1,3W 12Vdc 5000K 16 LEDs	17,79
	UA7493	12802269101	SUNNY SQUARE HE 1,3W 12Vdc 5000K 16 LEDs	17,79
	UA7451	12802250901	SUNNY SQUARE HE 1,3W 12Vdc 3200K 16 LEDs	18,65
	UA7461	12802256501	SUNNY SQUARE HE 1,3W 12Vdc 3200K 16 LEDs	18,65
	UA7471	12802259101	SUNNY SQUARE HE 1,3W 12Vdc 3200K 16 LEDs	18,65
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
		12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
91				
	UB7600	12802470101	SUNNY HE.IN TT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7620	12802470901	SUNNY HE.IN TT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7630	12802476501	SUNNY HE.IN TT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7640	12802479101	SUNNY HE.IN TT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7540	12802460101	SUNNY HE.IN TT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7560	12802460901	SUNNY HE.IN TT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7570	12802466501	SUNNY HE.IN TT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7580	12802469101	SUNNY HE.IN TT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7700	12802490101	SUNNY HE.IN QT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7720	12802490901	SUNNY HE.IN QT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7730	12802496501	SUNNY HE.IN QT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7740	12802499101	SUNNY HE.IN QT 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7650	12802480101	SUNNY HE.IN QT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7670	12802480901	SUNNY HE.IN QT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7680	12802486501	SUNNY HE.IN QT 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7690	12802489101	SUNNY HE.IN QT 1,3W 12Vdc 3200K 18 LEDs	22,06
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
		12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
92				
	UB7780	12802510101	SUNNY HE.IN QQ 1,3W 12Vdc 5000K 18 LEDs	21,18
		12802510901	SUNNY HE.IN QQ 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7790	12802516501	SUNNY HE.IN QQ 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7800	12802519101	SUNNY HE.IN QQ 1,3W 12Vdc 5000K 18 LEDs	21,18
	UB7750	12802500101	SUNNY HE.IN QQ 1,3W 12Vdc 3200K 18 LEDs	22,06
		12802500901	SUNNY HE.IN QQ 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7760	12802506501	SUNNY HE.IN QQ 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB7770	12802509101	SUNNY HE.IN QQ 1,3W 12Vdc 3200K 18 LEDs	22,06
	UB1150	16700016501	SIRIO 1,7W 12Vdc 5000K 24 LEDs	27,94
	UB1160	16700026501	SIRIO 1,7W 12Vdc 3200K 24 LEDs	29,71
	UB1170	16700056500	SPACER SIRIO	2,12

Interiors

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
		12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
93				
	UB7100	18700010900	NOVA.IN TT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB7110	18700016500	NOVA.IN TT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB7120	18700019100	NOVA.IN TT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB7130	18700020900	NOVA.IN TT 2,7W 12Vdc 3200K 39 LEDs	45,31
	UB7140	18700026500	NOVA.IN TT 2,7W 12Vdc 3200K 39 LEDs	45,31
	UB7150	18700029100	NOVA.IN TT 2,7W 12Vdc 3200K 39 LEDs	45,31
	UB7160	18700030900	NOVA.IN QT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB7170	18700036500	NOVA.IN QT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB7180	18700039100	NOVA.IN QT 2,7W 12Vdc 5000K 39 LEDs	45,31
	UB7190	18700040900	NOVA.IN QT 2,7W 12Vdc 3200K 39 LEDs	45,31
	UB720	18700046500	NOVA.IN QT 2,7W 12Vdc 3200K 39 LEDs	45,31
	UB7210	18700049100	NOVA.IN QT 2,7W 12Vdc 3200K 39 LEDs	45,31
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
		12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
94	UB7820	12802530001	MATRIX 2W 24Vdc 5000K 25 LEDs	24,00
	UB7810	12802520001	MATRIX 2W 24Vdc 3200K 25 LEDs	25,65
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6685	12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76
	UB8170	12501280101	AC/DC POWER SUPPLY 24Vdc 15W 12way european plug	25,74
	UB8160	12502910101	AC/DC POWER SUPPLY 24Vdc 30W 12way european plug	40,88
	UB4200	18200010100	MATRIX.IN 2W 24Vdc 5000K 25 LEDs	24,97
	UB4210	18200016500	MATRIX.IN 2W 24Vdc 5000K 25 LEDs	24,97
	UB4220	18200019100	MATRIX.IN 2W 24Vdc 5000K 25 LEDs	24,97
	UB4230	18200020100	MATRIX.IN 2W 24Vdc 3200K 25 LEDs	26,59
	UB4240	18200026500	MATRIX.IN 2W 24Vdc 3200K 25 LEDs	26,59
	UB4250	18200029100	MATRIX.IN 2W 24Vdc 3200K 25 LEDs	26,59
	UA6682	12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
	UB6684	12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6685	12805941000	INTERMEDIATE CORD type G L= 2m 12Vdc-24Vdc	6,76

Interiors

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
	UB8170	12501280101	AC/DC POWER SUPPLY 24Vdc 15W 12way european plug	25,74
	UB8160	12502910101	AC/DC POWER SUPPLY 24Vdc 30W 12way european plug	40,88
95				
	UB4270	17000010100	BASE faretto segnapasso 0,4W 12Vdc 5000K 4 LED	19,71
	UB4280	17000010900	BASE faretto segnapasso 0,4W 12Vdc 5000K 4 LED	20,29
	UB4290	17000016500	BASE faretto segnapasso 0,4W 12Vdc 5000K 4 LED	20,29
	UB4300	17000020100	BASE faretto segnapasso 0,4W 12Vdc 3200K 4 LED	20,29
	UB4310	17000020900	BASE faretto segnapasso 0,4W 12Vdc 3200K 4 LED	20,88
	UB4320	17000026500	BASE faretto segnapasso 0,4W 12Vdc 3200K 4 LED	20,88
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
	UB4350	16800010300	LIGHT LINE 1,3W 350mA 5000K Lunghezza Braccetto= 300mm	46,76
	UB4360	16800016500	LIGHT LINE 1,3W 350mA 5000K Lunghezza Braccetto= 300mm	46,76
	UB4370	16800030300	LIGHT LINE 1,3W 350mA 3200K Lunghezza Braccetto= 300mm	48,82
	UB4380	16800036500	LIGHT LINE 1,3W 350mA 3200K Lunghezza Braccetto= 300mm	48,82
	UB4390	16800050300	LIGHT LINE 1,3W 350mA 5000K Lunghezza Braccetto= 150mm	46,76
	UB4400	16800056500	LIGHT LINE 1,3W 350mA 5000K Lunghezza Braccetto= 150mm	46,76
	UB4410	16800060300	LIGHT LINE 1,3W 350mA 3200K Lunghezza Braccetto= 150mm	48,82
	UB4410	16800066500	LIGHT LINE 1,3W 350mA 3200K Lunghezza Braccetto= 150mm	48,82
		12804070100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore con-	1,59
		12804080100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connec-	2,12
		12804090100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connec-	2,65
	UB0540	12503010100	HIGH POWER SUPPLY 350mA 6W 6way european plug	22,35
	UB0550	12503020100	HIGH POWER SUPPLY 350mA 12W 9way european plug	35,29
96				
	UB7990	15900011201	BALI 1,7W 12Vdc 24 LEDs L=450mm	42,94
	UB8000	15900021201	BALI 3,3W 12Vdc 48 LEDs L=600mm	60,00
	UB8010	15900031201	BALI 5W 12Vdc 72 LEDs L=900mm	87,06
	UB8020	15900041201	BALI 6,6W 12Vdc 96 LEDs L=1200mm	109,41
		12805070100	INTERMEDIATE CORD type C L= 1m 12Vdc-24Vdc (da distributore connection cord)	2,50
		12804960100	INTERMEDIATE CORD type C L= 2m 12Vdc-24Vdc (da distributore connection cord)	3,82
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
		18000080100	GLOBE PANNELLO 1,2W 5700K 350mA Lunghezza Braccetto: 400mm	55,03
		18000080300	GLOBE PANNELLO 1,2W 5700K 350mA Lunghezza Braccetto: 400mm	55,03
		18000086500	GLOBE PANNELLO 1,2W 5700K 350mA Lunghezza Braccetto: 400mm	55,03
		18000110100	GLOBE PANNELLO 1,2W 2800K 350mA Lunghezza Braccetto: 400mm	55,03
		18000110300	GLOBE PANNELLO 1,2W 2800K 350mA Lunghezza Braccetto: 400mm	55,03
		18000116500	GLOBE PANNELLO 1,2W 2800K 350mA Lunghezza Braccetto: 400mm	55,03
		12804070100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 0,5m 350-700mA (da distributore con-	1,59
		12804080100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 1m 350-700mA (da distributore connec-	2,12

Interiors

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
		12804090100	INTERMEDIATE CORD TK MASCHIO/FEMMINA L= 2m 350-700mA (da distributore connec-	2,65
	UB0540	12503010100	HIGH POWER SUPPLY 350mA 6W 6way european plug	22,35
	UB0550	12503020100	HIGH POWER SUPPLY 350mA 12W 9way european plug	35,29
97				
		18000036500	GLOBE BINARIO 1,2W 12Vdc 5700K Lunghezza Braccetto: 400mm	79,82
		18000046500	GLOBE BINARIO 1,2W 12Vdc 2800K Lunghezza Braccetto: 400mm	79,82
98		13300166500	Minitrack LED (binario) L=1,8mt 12VDC	40,00
		12501320100	Power Supply 220-240/12VDC 30W	48,53
		12504590100	Power Supply 100-240/12VDC max 60W	170,59
		12601636500	Connection cord 12VDC L= 0,6mt	10,29
		12601776500	Connection cord 12VDC L=1mt	11,18
99				
		11801490100	STUDIOS x 2 PAR AD INCASSO 230-240V	93,59
		11801496500	STUDIOS x 2 PAR AD INCASSO 230-240V	93,59
		11801500100	STUDIOS x 3 PAR AD INCASSO 230-240V	142,59
		11801506500	STUDIOS x 3 PAR AD INCASSO 230-240V	143,06
		11801510100	STUDIOS x 4 PAR AD INCASSO 230-240V	170,29
	UB7020	11801516500	STUDIOS x 4 PAR AD INCASSO 230-240V	170,29
100				
		11801410100	STUDIOS FLEX x 1 1HQI	57,12
		11801416500	STUDIOS FLEX x 1 1HQI	57,12
		11801420100	STUDIOS FLEX x 2 1 HQI + 1 AR111	90,00
	UB6600	11801426500	STUDIOS FLEX x 2 1 HQI + 1 AR111	90,00
		11801430100	STUDIOS FLEX x 3 1 HQI + 2 AR111	137,41
		11801436500	STUDIOS FLEX x 3 1 HQI + 2 AR111	125,74
		11801440100	STUDIOS FLEX x 4 1 HQI + 3 AR111	163,47
		11801446500	STUDIOS FLEX x 4 1 HQI + 3 AR111	163,47
101				
		11800070100	EVO II MAX 150W 230/240V (IODURI METALLICI)	49,21
	UA8960	11800076500	EVO II MAX 150W 230/240V (IODURI METALLICI)	49,21
		12500420000	ALIMENTATORE ELETTRONICO POWERTRONIC PTi 70/220-240V I	105,65
		12500480000	ALIMENTATORE ELETTRONICO POWERTRONIC PTi 150/220-240V I	112,74
		12500430001	ALIMENTATORE ELETTRONICO HS-HI 70W 230V (RIF.509496)	80,56
		12500440001	ALIMENTATORE ELETTRONICO HS-HI 150W 230V (RIF.509497)	92,18
102				
		11800270100	NILO 2x26W ELETTRONICO 220-240V	116,91
		11800279100	NILO 2x26W ELETTRONICO 220-240V	116,91
		11801540100	NILO 2x26W ELETTRONICO 220-240V	76,47
		11801549100	NILO 2x26W ELETTRONICO 220-240V	76,47
103				
		IT1696701/S	TURNO max 50W 220-240V	10,29
		IT1696703/S	TURNO max 50W 220-240V	10,29
		IT1696708/S	TURNO max 50W 220-240V	10,29

Interiors

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
		IT1696709/S	TURNO max 50W 220-240V	10,29
		IT1696801/S	TURNO ADJUSTABLE max 50W 220-240V	10,29
		IT1696803/S	TURNO ADJUSTABLE max 50W 220-240V	10,29
		IT1696808/S	TURNO ADJUSTABLE max 50W 220-240V	10,29
		IT1696809/S	TURNO ADJUSTABLE max 50W 220-240V	10,29
104				
		11800180100	STUDIOS x 1 AR111 AD INCASSO 12Vac/220-240V	45,82
		11800186500	STUDIOS x 1 AR111 AD INCASSO 12Vac/220-240V	45,82
		11800190100	STUDIOS x 2 AR111 AD INCASSO 12Vac/220-240V	85,79
		11800196500	STUDIOS x 2 AR111 AD INCASSO 12Vac/220-240V	85,79
		11800200100	STUDIOS x 3 AR111 AD INCASSO 12Vac/220-240V	135,06
		11800206500	STUDIOS x 3 AR111 AD INCASSO 12Vac/220-240V	135,06
		11800210100	STUDIOS x 4 AR111 AD INCASSO 12Vac/220-240V	159,79
		11800216500	STUDIOS x 4 AR111 AD INCASSO 12Vac/220-240V	159,79
105				
	UB6710	11801459000	APOLLO I FARETTO max 50W 12Vac	18,41
		11801469000	APOLLO II FARETTO max 50W 12Vac	18,41
	UB6730	11801479000	APOLLO III FARETTO max 50W 12Vac	22,68
		IT6000801/S	SENNA max 50W 12Vac	16,47
		IT6000808/S	SENNA max 50W 12Vac	16,47
		IT6000809/S	SENNA max 50W 12Vac	16,47
		IT6000890/S	SENNA max 50W 12Vac	16,47
		IT6000701/S	LOIRA max 50W 12Vac	16,47
		IT6000708/S	LOIRA max 50W 12Vac	16,47
		IT6000709/S	LOIRA max 50W 12Vac	16,47
		IT6000790/S	LOIRA max 50W 12Vac	16,47
106				
		14100016500	TRACK 230V L=1mt	55,29
		14100026500	TRACK 230V L=3mt	121,18
		14100031000	CONNETTORE D'ALIMENTAZIONE	17,41
		14100041000	CONNETTORE D'ALIMENTAZIONE SPECULARE	17,41
		14100251000	CONNETTORE PONTE A SCOMPARSA	12,50
		14100241000	CONNETTORE PONTE FLESSIBILE	85,06
		14100051000	"CONNETTORE PONTE AD ""L"" "	52,26
		14100061000	"CONNETTORE PONTE AD ""L"" SPECULARE"	52,26
		14100081000	"CONNETTORE PONTE AD ""T"" "	76,03
		14100091000	"CONNETTORE PONTE AD ""T"" SPECULARE (DEL 14100081000)"	76,03
		14100211000	"CONNETTORE PONTE AD ""T"" "	76,03
		14100221000	"CONNETTORE PONTE AD ""T"" SPECULARE (DEL 14100211000)"	76,03
		14100101000	"CONNETTORE PONTE AD ""X"""	98,65
		14100261000	TAPPO CHIUSURA PROFILO	3,29

Accessories

PG	Code Gelesa	CÓDIGO	DESCRIPCIÓN	P.V.P.
114				
	UA6980	12805151201	TOUCH DIM CONTROL 12Vdc-24Vdc 12way distributor	62,65
	UA6990	12805159101	TOUCH DIM CONTROL 12way distributor	64,71
	UB8150	12803176502	INFRARED DC/DC 12Vdc(MAX 24W)-24Vdc(MAX 48W)	29,12
115				
	UA6950	12601910101	KIT SENSOR CON ALIMENTATORE 6W 12VDC E DISTRIBUTORE 4VIE	82,06
	UA6960	12601590102	KIT SENSOR + POWER SUPPLY 15W 12Vdc 12way	93,82
	UA6970	12601600102	KIT SENSOR + POWER SUPPLY 30W 12Vdc 12way	107,35
		12504560100	WRC DIM 15W 12vdc	102,35
		12504570100	WRC DIM 15W 24vdc	102,35
		12504580100	WRC DIM 30W 12vdc	120,00
116				
		12405330100	S&D 100-240V/12VDC	86,18
		12405340100	LENS + DISTRIBUTOR	32,06
117				
	UB2650	12503090100	HIGH POWER SUPPLY 6W 350mA 1way european plug	18,53
	UB2651	12503530100	HIGH POWER SUPPLY 12W 350mA 1way european plug	29,12
	UB0540	12503010100	HIGH POWER SUPPLY 350mA 6W 6way european plug	22,35
	UB0550	12503020100	HIGH POWER SUPPLY 350mA 12W 9way european plug	35,29
	UB0560	12504510100	HIGH POWER SUPPLY 350mA 18W 6way european plug	40,88
118				
		12504320000	IP44 Power Supply 100-240V 12W 700mA	41,18
		12504310000	IP44 Power Supply 100-240V 12W 350mA	41,18
119				
	UA6651	12502880100	AC/DC POWER SUPPLY 12VDC 6W 4way european plug	18,82
	UA6640	12500560101	AC/DC POWER SUPPLY 12VDC 15W 12way european plug	25,74
	UA6630	12500850101	AC/DC POWER SUPPLY 12VDC 30W 12way european plug	40,88
	UB8170	12501280101	AC/DC POWER SUPPLY 24Vdc 15W 12way european plug	25,74
	UB8160	12502910101	AC/DC POWER SUPPLY 24Vdc 30W 12way european plug	40,88
120				
		12504110100	AC/DC POWER SUPPLY for IP 64 e IP44 product 24VDC 15W 1way european plug	32,12
		12403570301	TOUCH LED SYSTEM ON-OFF 230V + presa EU	121,18
	UB2500	12400506500	TOUCH LED L=2mt	36,12
121				
		12404770100	RADIO SWITCH (CENTRALINA) 230-240v MAX 550W	82,82
		12404786500	RADIOCOMANDO PER RADIO SWITCH	21,88
122				
	UA5271	12403540101	KIT SENSOR ON-OFF 230-240V (SENSORE SU BOCCOLA EST.) + PRESA EU	57,24
		12405416500	KIT SENSOR ON-OFF 230-240V (SENSORE SU BOCCOLA EST. ORIENTATA) + PRESA EU	64,71
		12405460100	KIT SENSOR ON-OFF 230-240V (SENSORE SU SCATOLINO) + PRESA EU	43,62
123				
		12500510100	FLAT 16 10/60W 230/12V H=16mm	15,44
	UA4444	N1700101/S	MIGNON 10-60W 220-240/12V	15,44
124				
	UA8000	1723100/S	FLAT 20-70W 230/12V	15,94
	UA8010	1723200/S	FLAT 35-105W 230/12V	18,09

